

21..07.2003

Ergebnisse der Übung Technische Informatik 2 - WS 2002

Ergebnisse Aufgaben

Nr. Name	Vorname	Matr.Nr.	1.Komplex	2.Komplex	3.Komplex	4.Komplex	5.Komplex	Summe	Prozent	best. 60 %	58-60 %
		Ges-Punkte	30,0	30,0	30,0	30,0	30,0	150,0	100,00	90,0	87,0
		6653637	30,0	23,0	0,0	0,0	0,0	53,0	35,33	nicht bestanden	---
		7510002	27,0	0,0	0,0	0,0	0,0	27,0	18,00	nicht bestanden	---
		7521452	28,0	25,0	26,0	24,5	0,0	103,5	69,00	bestanden	---
		7522352	30,0	25,0	27,0	25,5	0,0	107,5	71,67	bestanden	---
		8055152	16,0	15,0	25,0	8,5	0,0	64,5	43,00	nicht bestanden	---
		8411912	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
		8488072	7,0	25,0	20,0	25,0	0,0	77,0	51,33	nicht bestanden	---
		8514837	29,0	20,0	16,0	26,0	0,0	91,0	60,67	bestanden	---
		8611778	30,0	30,0	30,0	28,0	0,0	118,0	78,67	bestanden	---
		8620320	23,0	25,0	20,0	0,0	0,0	68,0	45,33	nicht bestanden	---
		8683610	15,0	20,0	23,0	25,0	0,0	83,0	55,33	nicht bestanden	---
		8718652	26,0	30,0	27,0	30,0	0,0	113,0	75,33	bestanden	---
		8754024	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
		8754191	28,0	18,0	22,0	24,0	0,0	92,0	61,33	bestanden	---
		8754382	30,0	29,0	27,0	25,0	0,0	111,0	74,00	bestanden	---
		8754461	28,0	20,0	25,0	27,5	0,0	100,5	67,00	bestanden	---
		8764811	23,0	25,0	20,0	0,0	0,0	68,0	45,33	nicht bestanden	---
		8765430	22,0	24,0	19,0	30,0	0,0	95,0	63,33	bestanden	---
		8771034	0,0	22,0	27,0	26,0	0,0	75,0	50,00	nicht bestanden	---
		8812816	28,0	30,0	27,0	21,5	0,0	106,5	71,00	bestanden	---
		8812838	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
		8812849	30,0	25,0	29,0	23,0	0,0	107,0	71,33	bestanden	---
		8812917	30,0	26,0	23,0	23,0	0,0	102,0	68,00	bestanden	---
		8813299	11,0	15,0	29,0	26,5	0,0	81,5	54,33	nicht bestanden	---
		8813378	0,0	30,0	28,0	22,0	0,0	80,0	53,33	nicht bestanden	---
		8814289	30,0	26,0	20,0	23,0	0,0	99,0	66,00	bestanden	---
		8814324	30,0	24,0	25,0	23,0	0,0	102,0	68,00	bestanden	---
		8841425	18,0	0,0	0,0	0,0	0,0	18,0	12,00	nicht bestanden	---
		8871900	26,0	0,0	0,0	0,0	0,0	26,0	17,33	nicht bestanden	---
		8904526	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
		8909452	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
		8909856	30,0	30,0	23,0	30,0	0,0	113,0	75,33	bestanden	---
		8915360	5,0	4,0	0,0	0,0	0,0	9,0	6,00	nicht bestanden	---
		8932694	26,0	26,0	22,0	21,5	0,0	95,5	63,67	bestanden	---
		8954698	21,0	0,0	25,0	29,0	0,0	75,0	50,00	nicht bestanden	---
		8954722	27,0	28,0	27,0	22,0	0,0	104,0	69,33	bestanden	---
		8954856	29,0	0,0	0,0	0,0	0,0	29,0	19,33	nicht bestanden	---
		8954979	30,0	26,0	28,0	23,0	0,0	107,0	71,33	bestanden	---
		8955005	29,0	30,0	30,0	24,5	0,0	113,5	75,67	bestanden	---
		8955016	30,0	30,0	28,0	25,0	0,0	113,0	75,33	bestanden	---
		8955161	28,0	28,0	26,0	25,5	0,0	107,5	71,67	bestanden	---

8955410	29,0	30,0	28,0	25,0	0,0	112,0	74,67	bestanden	---
8955464	30,0	30,0	29,0	25,0	0,0	114,0	76,00	bestanden	---
8955611	28,5	23,0	30,0	23,0	0,0	104,5	69,67	bestanden	---
8955633	18,0	0,0	20,0	15,0	0,0	53,0	35,33	nicht bestanden	---
8955778	25,0	23,0	27,0	0,0	0,0	75,0	50,00	nicht bestanden	---
8955824	26,0	28,0	28,0	24,5	0,0	106,5	71,00	bestanden	---
8955880	28,0	29,0	30,0	26,0	0,0	113,0	75,33	bestanden	---
8955903	25,0	28,0	0,0	0,0	0,0	53,0	35,33	nicht bestanden	---
8960269	15,0	25,0	0,0	0,0	0,0	40,0	26,67	nicht bestanden	---
8962205	26,0	30,0	19,0	26,0	0,0	101,0	67,33	bestanden	---
8962765	26,0	26,0	25,0	30,0	0,0	107,0	71,33	bestanden	---
8966209	29,0	21,0	23,0	30,0	0,0	103,0	68,67	bestanden	---
8968075	0,0	28,0	0,0	11,0	0,0	39,0	26,00	nicht bestanden	---
8974050	14,0	28,0	25,0	30,0	0,0	97,0	64,67	bestanden	---
8975815	22,0	0,0	0,0	0,0	0,0	22,0	14,67	nicht bestanden	---
8976849	30,0	13,0	22,0	0,0	0,0	65,0	43,33	nicht bestanden	---
9012506	30,0	30,0	0,0	0,0	0,0	60,0	40,00	nicht bestanden	---
9012583	24,0	24,0	20,0	25,0	0,0	93,0	62,00	bestanden	---
9012607	26,0	24,0	26,0	23,0	0,0	99,0	66,00	bestanden	---
9012965	0,0	0,0	29,0	30,0	0,0	59,0	39,33	nicht bestanden	---
9013170	30,0	30,0	30,0	24,5	0,0	114,5	76,33	bestanden	---
9013898	25,0	27,0	28,0	26,0	0,0	106,0	70,67	bestanden	---
9013955	30,0	26,0	0,0	0,0	0,0	56,0	37,33	nicht bestanden	---
9014317	21,5	20,0	28,0	25,5	0,0	95,0	63,33	bestanden	---
9014855	28,0	0,0	0,0	0,0	0,0	28,0	18,67	nicht bestanden	---
9014934	19,0	12,0	22,0	4,0	0,0	57,0	38,00	nicht bestanden	---
9023967	8,0	22,0	25,0	0,0	0,0	55,0	36,67	nicht bestanden	---
9096911	29,0	28,0	19,0	30,0	0,0	106,0	70,67	bestanden	---
9097104	30,0	27,0	23,0	27,0	0,0	107,0	71,33	bestanden	---
9097473	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9155569	26,0	26,0	23,0	23,0	0,0	98,0	65,33	bestanden	---
9155782	30,0	28,0	25,0	25,0	0,0	108,0	72,00	bestanden	---
9155828	19,0	28,0	0,0	20,0	0,0	67,0	44,67	nicht bestanden	---
9155995	0,0	30,0	28,0	24,5	0,0	82,5	55,00	nicht bestanden	---
9156480	30,0	23,0	25,0	26,0	0,0	104,0	69,33	bestanden	---
9156627	21,0	15,0	18,0	22,0	0,0	76,0	50,67	nicht bestanden	---
9157033	0,0	30,0	30,0	25,0	0,0	85,0	56,67	nicht bestanden	---
9157178	28,0	24,0	24,0	23,0	0,0	99,0	66,00	bestanden	---
9157661	30,0	22,0	27,0	28,5	0,0	107,5	71,67	bestanden	---
9157863	24,0	30,0	25,0	24,0	0,0	103,0	68,67	bestanden	---
9157872	0,0	0,0	25,0	0,0	0,0	25,0	16,67	nicht bestanden	---
9159484	0,0	0,0	23,0	0,0	0,0	23,0	15,33	nicht bestanden	---
9160117	20,0	24,0	23,0	26,5	0,0	93,5	62,33	bestanden	---
9160229	30,0	26,0	30,0	30,0	0,0	116,0	77,33	bestanden	---
9160240	26,0	24,0	28,0	30,0	0,0	108,0	72,00	bestanden	---

9160319	30,0	25,0	24,0	27,0	0,0	106,0	70,67	bestanden	---
9160385	19,0	26,0	26,0	26,0	0,0	97,0	64,67	bestanden	---
9160431	30,0	28,0	27,0	29,0	0,0	114,0	76,00	bestanden	---
9160486	30,0	30,0	23,0	28,5	0,0	111,5	74,33	bestanden	---
9160500	30,0	26,0	24,0	26,0	0,0	106,0	70,67	bestanden	---
9160576	22,0	29,0	18,0	26,0	0,0	95,0	63,33	bestanden	---
9160600	28,0	26,0	0,0	26,0	0,0	80,0	53,33	nicht bestanden	---
9160723	24,0	25,0	27,0	30,0	0,0	106,0	70,67	bestanden	---
9160824	30,0	24,0	27,0	26,0	0,0	107,0	71,33	bestanden	---
9160936	24,0	0,0	24,0	21,0	0,0	69,0	46,00	nicht bestanden	---
9160958	28,0	25,0	29,0	28,0	0,0	110,0	73,33	bestanden	---
9160970	25,0	24,0	23,0	0,0	0,0	72,0	48,00	nicht bestanden	---
9161386	22,0	25,0	22,0	23,0	0,0	92,0	61,33	bestanden	---
9161577	17,0	28,0	21,0	24,0	0,0	90,0	60,00	bestanden	---
9161836	30,0	30,0	26,0	29,0	0,0	115,0	76,67	bestanden	---
9162130	30,0	26,0	25,0	30,0	0,0	111,0	74,00	bestanden	---
9162174	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9162534	11,0	12,0	20,0	17,0	0,0	60,0	40,00	nicht bestanden	---
9162736	16,0	23,0	0,0	30,0	0,0	69,0	46,00	nicht bestanden	---
9162747	29,0	23,0	25,0	27,5	0,0	104,5	69,67	bestanden	---
9162758	5,0	9,0	15,0	30,0	0,0	59,0	39,33	nicht bestanden	---
9163019	0,0	19,5	24,0	0,0	0,0	43,5	29,00	nicht bestanden	---
9163265	30,0	24,0	27,0	23,0	0,0	104,0	69,33	bestanden	---
9163726	24,0	30,0	18,0	24,5	0,0	96,5	64,33	bestanden	---
9164042	10,0	24,0	0,0	0,0	0,0	34,0	22,67	nicht bestanden	---
9164132	30,0	30,0	25,0	30,0	0,0	115,0	76,67	bestanden	---
9164165	29,0	26,0	28,0	30,0	0,0	113,0	75,33	bestanden	---
9164367	24,0	22,0	20,0	29,5	0,0	95,5	63,67	bestanden	---
9164424	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9164514	27,0	30,0	28,0	30,0	0,0	115,0	76,67	bestanden	---
9164670	30,0	30,0	24,0	30,0	0,0	114,0	76,00	bestanden	---
9164872	30,0	26,0	30,0	30,0	0,0	116,0	77,33	bestanden	---
9164883	30,0	30,0	28,0	28,3	0,0	116,3	77,50	bestanden	---
9164930	30,0	0,0	24,0	26,0	0,0	80,0	53,33	nicht bestanden	---
9165133	24,0	30,0	22,0	20,0	0,0	96,0	64,00	bestanden	---
9165447	27,0	26,0	25,0	30,0	0,0	108,0	72,00	bestanden	---
9165592	30,0	24,0	29,0	25,0	0,0	108,0	72,00	bestanden	---
9166178	20,0	30,0	25,0	30,0	0,0	105,0	70,00	bestanden	---
9166391	30,0	24,0	26,0	30,0	0,0	110,0	73,33	bestanden	---
9166505	30,0	28,0	27,0	29,0	0,0	114,0	76,00	bestanden	---
9166617	14,0	10,0	0,0	0,0	0,0	24,0	16,00	nicht bestanden	---
9166953	28,0	26,0	24,0	30,0	0,0	108,0	72,00	bestanden	---
9167269	30,0	30,0	16,0	28,5	0,0	104,5	69,67	bestanden	---
9167270	30,0	26,0	25,0	24,0	0,0	105,0	70,00	bestanden	---
9167450	28,5	24,0	28,0	29,0	0,0	109,5	73,00	bestanden	---

9167594	15,0	26,0	24,0	27,0	0,0	92,0	61,33	bestanden	---	
9167607	22,0	19,0	25,0	25,0	0,0	91,0	60,67	bestanden	---	
9167842	17,0	20,0	15,0	30,0	0,0	82,0	54,67	nicht bestanden	---	
9167987	23,0	27,0	23,0	26,0	0,0	99,0	66,00	bestanden	---	
9168382	16,0	26,0	19,0	23,0	0,0	84,0	56,00	nicht bestanden	---	
9169159	26,0	30,0	29,0	30,0	0,0	115,0	76,67	bestanden	---	
9169484	28,0	30,0	0,0	30,0	0,0	88,0	58,67	nicht bestanden	---	Nochmal bei Dr.Lieske melden
9169787	19,0	30,0	26,0	29,0	0,0	104,0	69,33	bestanden	---	
9169866	24,0	24,0	20,0	23,5	0,0	91,5	61,00	bestanden	---	
9170252	30,0	26,0	30,0	26,0	0,0	112,0	74,67	bestanden	---	
9170285	25,0	30,0	25,0	30,0	0,0	110,0	73,33	bestanden	---	
9170375	26,0	30,0	25,0	30,0	0,0	111,0	74,00	bestanden	---	
9170577	18,0	30,0	25,0	30,0	0,0	103,0	68,67	bestanden	---	
9170746	0,0	25,0	30,0	26,0	0,0	81,0	54,00	nicht bestanden	---	
9170869	10,0	18,0	0,0	0,0	0,0	28,0	18,67	nicht bestanden	---	
9171095	28,0	26,0	30,0	22,0	0,0	106,0	70,67	bestanden	---	
9171534	28,0	25,0	28,0	26,0	0,0	107,0	71,33	bestanden	---	
9171657	0,0	21,0	16,0	30,0	0,0	67,0	44,67	nicht bestanden	---	
9171870	20,0	23,0	15,0	27,0	0,0	85,0	56,67	nicht bestanden	---	
9172322	25,0	30,0	22,0	30,0	0,0	107,0	71,33	bestanden	---	
9172333	28,0	22,0	29,0	30,0	0,0	109,0	72,67	bestanden	---	
9172401	26,0	0,0	25,0	29,0	0,0	80,0	53,33	nicht bestanden	---	
9172680	15,0	30,0	25,0	26,0	0,0	96,0	64,00	bestanden	---	
9172816	30,0	30,0	26,0	30,0	0,0	116,0	77,33	bestanden	---	
9172972	30,0	26,0	22,0	30,0	0,0	108,0	72,00	bestanden	---	
9173356	23,0	26,0	0,0	20,0	0,0	69,0	46,00	nicht bestanden	---	
9173389	29,0	14,0	20,0	0,0	0,0	63,0	42,00	nicht bestanden	---	
9173760	30,0	24,0	27,0	26,0	0,0	107,0	71,33	bestanden	---	
9173995	28,0	25,0	23,0	29,5	0,0	105,5	70,33	bestanden	---	
9174155	30,0	30,0	16,0	0,0	0,0	76,0	50,67	nicht bestanden	---	
9174278	23,0	30,0	25,0	30,0	0,0	108,0	72,00	bestanden	---	
9174346	30,0	26,0	28,0	24,5	0,0	108,5	72,33	bestanden	---	
9174830	24,0	26,0	29,0	0,0	0,0	79,0	52,67	nicht bestanden	---	
9174920	15,0	21,0	23,0	30,0	0,0	89,0	59,33	nicht bestanden	---	Nochmal bei Dr.Lieske melden
9174980	0,0	0,0	23,0	0,0	0,0	23,0	15,33	nicht bestanden	---	
9174996	28,0	26,0	0,0	30,0	0,0	84,0	56,00	nicht bestanden	---	
9175000	22,0	0,0	23,0	0,0	0,0	45,0	30,00	nicht bestanden	---	
9175492	30,0	22,0	26,0	22,0	0,0	100,0	66,67	bestanden	---	
9175683	20,0	30,0	23,0	0,0	0,0	73,0	48,67	nicht bestanden	---	
9175718	30,0	24,0	25,0	26,0	0,0	105,0	70,00	bestanden	---	
9175975	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---	
9176089	30,0	25,0	28,0	0,0	0,0	83,0	55,33	nicht bestanden	---	
9176236	30,0	26,0	23,0	30,0	0,0	109,0	72,67	bestanden	---	
9176897	18,0	21,0	27,0	30,0	0,0	96,0	64,00	bestanden	---	
9176976	20,0	19,0	15,0	24,0	0,0	78,0	52,00	nicht bestanden	---	

9177259	21,0	0,0	0,0	0,0	0,0	21,0	14,00	nicht bestanden	---
9177764	9,5	23,0	24,0	22,0	0,0	78,5	52,33	nicht bestanden	---
9177800	29,0	25,0	28,0	30,0	0,0	112,0	74,67	bestanden	---
9178170	30,0	24,0	0,0	21,5	0,0	75,5	50,33	nicht bestanden	---
9178361	29,0	30,0	24,0	26,0	0,0	109,0	72,67	bestanden	---
9179037	24,5	30,0	25,0	30,0	0,0	109,5	73,00	bestanden	---
9179420	30,0	25,0	25,0	30,0	0,0	110,0	73,33	bestanden	---
9180242	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9180264	30,0	25,0	27,0	27,0	0,0	109,0	72,67	bestanden	---
9180343	30,0	28,0	30,0	29,0	0,0	117,0	78,00	bestanden	---
9180398	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9180433	25,0	26,0	25,0	29,0	0,0	105,0	70,00	bestanden	---
9180523	21,0	30,0	0,0	30,0	0,0	81,0	54,00	nicht bestanden	---
9181412	24,0	20,0	19,0	15,5	0,0	78,5	52,33	nicht bestanden	---
9214194	0,0	30,0	30,0	26,0	0,0	86,0	57,33	nicht bestanden	---
9214688	30,0	27,0	24,0	30,0	0,0	111,0	74,00	bestanden	---
9240700	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9241273	30,0	27,0	20,0	22,0	0,0	99,0	66,00	bestanden	---
9242379	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9244366	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9712298	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---

