

11.02.2004

Ergebnisse der Übung Technische Informatik 1 - WS 2003

Ergebnisse Aufgaben

Nr.	Name	Vorname	Matr.Nr.	1.Komplex	2.Komplex	3.Komplex	4.Komplex	5.Komplex	Summe	Prozent	best. 60 %	58-60 %
			Ges-Punkte	30,0	30,0	30,0	30,0	30,0	150,0	100,00	90,0	87,0
			7510002	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			7914761	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			8055152	20,0	23,5	27,0	24,0	12,0	106,5	71,00	bestanden	---
			8370859	22,0	13,5	26,0	30,0	20,0	111,5	74,33	bestanden	---
			8488072	6,0	0,0	24,0	0,0	0,0	30,0	20,00	nicht bestanden	---
			8507705	26,0	20,0	18,0	25,0	19,0	108,0	72,00	bestanden	---
			8562000	15,0	0,0	15,5	0,0	0,0	30,5	20,33	nicht bestanden	---
			8678400	29,0	30,0	15,0	20,0	22,0	116,0	77,33	bestanden	---
			8683610	16,0	20,5	29,5	27,0	21,0	114,0	76,00	bestanden	---
			8713175	17,0	30,0	25,5	24,0	30,0	126,5	84,33	bestanden	---
			8734415	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			8735720	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			8754147	29,0	28,0	25,0	0,0	0,0	82,0	54,67	nicht bestanden	---
			8771763	30,0	30,0	25,0	30,0	26,0	141,0	94,00	bestanden	---
			8771820	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			8812917	23,0	30,0	30,0	30,0	20,0	133,0	88,67	bestanden	---
			8813334	28,0	30,0	9,0	27,0	24,0	118,0	78,67	bestanden	---
			8813626	17,0	27,0	21,5	26,0	27,0	118,5	79,00	bestanden	---
			8841425	27,0	21,5	26,5	28,0	0,0	103,0	68,67	bestanden	---
			8932672	21,0	20,5	3,5	25,0	24,0	94,0	62,67	bestanden	---
			8937319	19,0	30,0	0,0	0,0	0,0	49,0	32,67	nicht bestanden	---
			8955005	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			8955251	30,0	28,0	19,0	28,0	27,0	132,0	88,00	bestanden	---
			8955319	0,0	20,0	0,0	10,0	17,5	47,5	31,67	nicht bestanden	---
			8955598	30,0	20,0	22,0	23,0	24,0	119,0	79,33	bestanden	---
			8955677	28,0	30,0	27,0	25,0	25,0	135,0	90,00	bestanden	---
			8955767	24,0	30,0	17,0	20,0	17,0	108,0	72,00	bestanden	---
			8956342	30,0	30,0	30,0	30,0	29,5	149,5	99,67	bestanden	---
			8974320	23,0	22,0	9,0	20,0	17,0	91,0	60,67	bestanden	---
			8975815	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
			8978357	10,0	0,0	0,0	0,0	0,0	10,0	6,67	nicht bestanden	---
			9012774	30,0	26,5	30,0	25,0	27,0	138,5	92,33	bestanden	---
			9012785	28,0	30,0	30,0	0,0	29,5	117,5	78,33	bestanden	---
			9012842	25,0	17,0	23,0	0,0	0,0	65,0	43,33	nicht bestanden	---
			9012910	28,0	29,0	22,0	28,0	27,0	134,0	89,33	bestanden	---
			9012965	0,0	29,0	30,0	30,0	0,0	89,0	59,33	nicht bestanden	Nochmal bei Dr.Lieske melden
			9013305	29,0	25,0	0,0	0,0	0,0	54,0	36,00	nicht bestanden	---
			9013797	28,0	29,5	25,0	22,0	13,0	117,5	78,33	bestanden	---
			9014080	30,0	30,0	24,0	28,0	27,0	139,0	92,67	bestanden	---
			9014238	28,0	30,0	0,0	0,0	0,0	58,0	38,67	nicht bestanden	---
			9014520	22,0	29,5	19,0	20,0	26,0	116,5	77,67	bestanden	---
			9015015	26,0	30,0	0,0	0,0	0,0	56,0	37,33	nicht bestanden	---
			9090848	20,0	25,5	0,0	0,0	5,5	51,0	34,00	nicht bestanden	---
			9112797	30,0	16,5	14,0	20,0	26,0	106,5	71,00	bestanden	---
			9121518	29,0	18,5	27,0	27,0	22,5	124,0	82,67	bestanden	---
			9122912	10,0	19,5	0,0	0,0	0,0	29,5	19,67	nicht bestanden	---

9154175	0,0	17,0	0,0	25,0	0,0	42,0	28,00	nicht bestanden	---
9154300	30,0	30,0	27,0	30,0	26,0	143,0	95,33	bestanden	---
9154715	30,0	24,0	27,0	30,0	22,0	133,0	88,67	bestanden	---
9154917	17,0	0,0	26,5	30,0	28,0	101,5	67,67	bestanden	---
9155010	26,0	30,0	0,0	0,0	10,0	66,0	44,00	nicht bestanden	---
9155100	30,0	26,0	27,0	29,0	29,5	141,5	94,33	bestanden	---
9155165	30,0	0,0	30,0	0,0	27,0	87,0	58,00	nicht bestanden	Nochmal bei Dr.Lieske melden
9155547	22,0	30,0	0,0	0,0	6,0	58,0	38,67	nicht bestanden	---
9155615	22,0	27,5	0,0	0,0	0,0	49,5	33,00	nicht bestanden	---
9156199	27,0	29,5	21,0	17,0	0,0	94,5	63,00	bestanden	---
9157033	29,0	24,0	27,0	27,0	0,0	107,0	71,33	bestanden	---
9157101	30,0	24,0	26,5	24,0	24,0	128,5	85,67	bestanden	---
9157123	0,0	15,5	0,0	10,0	21,0	46,5	31,00	nicht bestanden	---
9157874	25,0	30,0	15,5	23,0	17,0	110,5	73,67	bestanden	---
9162534	22,0	29,0	23,5	25,0	17,0	116,5	77,67	bestanden	---
9163019	0,0	0,0	26,0	27,0	24,0	77,0	51,33	nicht bestanden	---
9164367	17,0	15,5	0,0	28,0	18,0	78,5	52,33	nicht bestanden	---
9164424	16,0	19,5	0,0	0,0	0,0	35,5	23,67	nicht bestanden	---
9164749	15,0	30,0	15,0	24,0	20,0	104,0	69,33	bestanden	---
9168350	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9170331	28,0	25,5	24,0	30,0	15,0	122,5	81,67	bestanden	---
9172175	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9178495	28,0	30,0	27,0	30,0	19,5	134,5	89,67	bestanden	---
9212003	29,0	0,0	0,0	0,0	0,0	29,0	19,33	nicht bestanden	---
9212148	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9212159	30,0	30,0	27,0	29,0	30,0	146,0	97,33	bestanden	---
9212216	28,0	27,5	25,5	28,0	26,0	135,0	90,00	bestanden	---
9212249	30,0	30,0	30,0	30,0	23,0	143,0	95,33	bestanden	---
9212271	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9212440	24,0	19,5	0,0	10,0	21,5	75,0	50,00	nicht bestanden	---
9212877	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9213048	27,0	0,0	0,0	0,0	0,0	27,0	18,00	nicht bestanden	---
9213294	27,0	0,0	0,0	0,0	0,0	27,0	18,00	nicht bestanden	---
9213330	29,0	0,0	0,0	0,0	0,0	29,0	19,33	nicht bestanden	---
9213373	30,0	30,0	20,0	28,0	0,0	108,0	72,00	bestanden	---
9213395	30,0	30,0	21,5	28,0	25,0	134,5	89,67	bestanden	---
9213474	30,0	30,0	20,0	28,0	0,0	108,0	72,00	bestanden	---
9213496	29,0	0,0	22,0	23,0	0,0	74,0	49,33	nicht bestanden	---
9213509	30,0	30,0	20,0	26,0	0,0	106,0	70,67	bestanden	---
9213510	28,0	0,0	0,0	0,0	0,0	28,0	18,67	nicht bestanden	---
9213553	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9213621	30,0	30,0	20,0	28,0	24,0	132,0	88,00	bestanden	---
9213700	30,0	30,0	22,0	28,0	25,0	135,0	90,00	bestanden	---
9213766	28,0	26,5	25,0	30,0	26,0	135,5	90,33	bestanden	---
9213812	30,0	21,5	22,0	25,0	0,0	98,5	65,67	bestanden	---
9213878	30,0	30,0	24,0	0,0	0,0	84,0	56,00	nicht bestanden	---
9214554	28,0	30,0	30,0	30,0	20,0	138,0	92,00	bestanden	---
9214756	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9215028	0,0	20,0	0,0	10,0	21,0	51,0	34,00	nicht bestanden	---
9240700	22,0	30,0	0,0	26,0	23,0	101,0	67,33	bestanden	---

9242768	25,0	23,5	26,5	23,0	20,0	118,0	78,67	bestanden	---
9244074	18,0	21,5	0,0	28,0	7,5	75,0	50,00	nicht bestanden	---
9250587	25,0	15,0	0,0	0,0	0,0	40,0	26,67	nicht bestanden	---
9251040	28,0	30,0	20,5	25,0	23,0	126,5	84,33	bestanden	---
9252073	28,0	0,0	0,0	0,0	0,0	28,0	18,67	nicht bestanden	---
9253120	30,0	0,0	26,5	0,0	0,0	56,5	37,67	nicht bestanden	---
9281817	29,0	0,0	27,0	30,0	18,5	104,5	69,67	bestanden	---
9283134	28,0	25,0	27,5	28,0	26,0	134,5	89,67	bestanden	---
9317763	28,0	30,0	0,0	0,0	0,0	58,0	38,67	nicht bestanden	---
9353793	28,0	26,0	29,0	27,0	30,0	140,0	93,33	bestanden	---
9354010	28,0	30,0	29,0	30,0	18,0	135,0	90,00	bestanden	---
9354043	28,0	30,0	23,5	28,0	18,5	128,0	85,33	bestanden	---
9354199	23,0	30,0	27,0	30,0	0,0	110,0	73,33	bestanden	---
9354335	29,0	28,0	25,5	30,0	24,0	136,5	91,00	bestanden	---
9354682	22,0	30,0	24,0	30,0	25,0	131,0	87,33	bestanden	---
9356326	24,0	29,0	15,0	0,0	20,0	88,0	58,67	nicht bestanden	Nochmal bei Dr.Lieske melden
9356785	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9356910	30,0	30,0	30,0	30,0	20,0	140,0	93,33	bestanden	---
9357002	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9360231	30,0	29,0	0,0	0,0	0,0	59,0	39,33	nicht bestanden	---
9360264	30,0	30,0	26,0	0,0	0,0	86,0	57,33	nicht bestanden	---
9360286	26,0	30,0	27,0	28,0	26,0	137,0	91,33	bestanden	---
9360332	26,0	30,0	27,0	0,0	20,0	103,0	68,67	bestanden	---
9360398	18,0	20,0	0,0	23,0	17,0	78,0	52,00	nicht bestanden	---
9360556	26,0	25,5	23,0	25,0	7,0	106,5	71,00	bestanden	---
9360578	22,0	30,0	25,0	25,0	12,0	114,0	76,00	bestanden	---
9360703	28,0	29,0	28,0	30,0	25,0	140,0	93,33	bestanden	---
9360892	28,0	28,5	26,5	27,0	0,0	110,0	73,33	bestanden	---
9361388	26,0	30,0	28,0	28,0	14,0	126,0	84,00	bestanden	---
9361401	18,0	30,0	27,0	29,0	22,0	126,0	84,00	bestanden	---
9361737	22,0	30,0	26,0	28,0	18,5	124,5	83,00	bestanden	---
9361770	26,0	28,0	21,0	28,0	17,0	120,0	80,00	bestanden	---
9361871	30,0	0,0	0,0	0,0	0,0	30,0	20,00	nicht bestanden	---
9362187	28,0	30,0	27,0	30,0	10,0	125,0	83,33	bestanden	---
9362277	30,0	0,0	27,0	29,0	28,0	114,0	76,00	bestanden	---
9363357	23,0	30,0	30,0	28,0	28,0	139,0	92,67	bestanden	---
9363548	28,0	30,0	27,0	28,0	0,0	113,0	75,33	bestanden	---
9363772	30,0	0,0	0,0	0,0	0,0	30,0	20,00	nicht bestanden	---
9363829	28,0	26,0	26,0	27,0	14,0	121,0	80,67	bestanden	---
9363974	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9364066	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9364099	10,0	23,0	15,0	29,0	27,5	104,5	69,67	bestanden	---
9364347	0,0	30,0	0,0	0,0	0,0	30,0	20,00	nicht bestanden	---
9364370	15,0	22,0	0,0	13,0	17,0	67,0	44,67	nicht bestanden	---
9364819	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9365214	28,0	30,0	22,5	30,0	0,0	110,5	73,67	bestanden	---
9365304	21,0	26,0	11,0	20,0	21,5	99,5	66,33	bestanden	---
9365405	28,0	30,0	27,0	0,0	24,0	109,0	72,67	bestanden	---
9365618	29,0	29,0	26,5	28,0	20,0	132,5	88,33	bestanden	---
9365720	28,0	30,0	27,0	26,0	0,0	111,0	74,00	bestanden	---

9366191	28,0	30,0	26,5	27,0	15,0	126,5	84,33	bestanden	---
9366226	30,0	30,0	26,5	30,0	28,0	144,5	96,33	bestanden	---
9366260	28,0	29,5	26,5	26,0	24,0	134,0	89,33	bestanden	---
9366382	24,0	0,0	0,0	0,0	0,0	24,0	16,00	nicht bestanden	---
9367014	30,0	29,5	27,0	24,0	16,0	126,5	84,33	bestanden	---
9367227	28,0	0,0	30,0	27,0	0,0	85,0	56,67	nicht bestanden	---
9367407	28,0	30,0	23,0	15,0	29,0	125,0	83,33	bestanden	---
9368026	26,0	30,0	26,0	28,0	23,0	133,0	88,67	bestanden	---
9368138	30,0	30,0	26,5	0,0	27,0	113,5	75,67	bestanden	---
9368171	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9368340	30,0	30,0	30,0	15,0	16,0	121,0	80,67	bestanden	---
9368632	30,0	30,0	26,5	24,0	0,0	110,5	73,67	bestanden	---
9368744	30,0	30,0	26,5	28,0	29,0	143,5	95,67	bestanden	---
9368845	30,0	21,5	27,0	27,0	30,0	135,5	90,33	bestanden	---
9368980	27,0	13,0	21,0	0,0	3,0	64,0	42,67	nicht bestanden	---
9369868	27,0	30,0	27,0	24,0	0,0	108,0	72,00	bestanden	---
9369925	28,0	30,0	27,0	30,0	24,5	139,5	93,00	bestanden	---
9369969	28,0	29,5	27,5	28,0	16,5	129,5	86,33	bestanden	---
9370625	28,0	10,0	24,0	27,0	6,0	95,0	63,33	bestanden	---
9370670	29,0	22,5	27,0	30,0	23,0	131,5	87,67	bestanden	---
9371042	27,0	21,0	22,0	23,0	13,5	106,5	71,00	bestanden	---
9371187	30,0	30,0	26,0	28,0	15,0	129,0	86,00	bestanden	---
9371367	30,0	30,0	13,0	20,0	5,0	98,0	65,33	bestanden	---
9371435	0,0	30,0	30,0	29,0	19,0	108,0	72,00	bestanden	---
9372166	29,0	30,0	26,0	26,0	22,0	133,0	88,67	bestanden	---
9372223	30,0	30,0	27,0	30,0	22,0	139,0	92,67	bestanden	---
9372390	20,0	20,5	16,0	28,0	5,5	90,0	60,00	bestanden	---
9372728	30,0	28,0	20,0	28,0	22,0	128,0	85,33	bestanden	---
9372895	19,0	20,5	0,0	18,0	25,5	83,0	55,33	nicht bestanden	---
9372952	0,0	30,0	27,0	28,0	25,0	110,0	73,33	bestanden	---
9373347	30,0	30,0	20,0	0,0	0,0	80,0	53,33	nicht bestanden	---
9373773	28,0	0,0	0,0	28,0	0,0	56,0	37,33	nicht bestanden	---
9373795	22,0	22,5	0,0	24,0	9,0	77,5	51,67	nicht bestanden	---
9373986	29,0	25,5	27,0	27,0	20,0	128,5	85,67	bestanden	---
9374090	27,0	30,0	26,0	30,0	21,5	134,5	89,67	bestanden	---
9374236	28,0	30,0	26,0	28,0	23,0	135,0	90,00	bestanden	---
9374291	28,0	26,5	21,0	15,0	7,5	98,0	65,33	bestanden	---
9374618	28,0	30,0	27,0	30,0	20,0	135,0	90,00	bestanden	---
9374774	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9374774	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9374820	25,0	18,5	16,5	0,0	0,0	60,0	40,00	nicht bestanden	---
9375170	28,0	29,8	30,0	28,0	0,0	115,8	77,17	bestanden	---
9375259	28,0	20,5	20,0	27,0	23,0	118,5	79,00	bestanden	---
9375584	28,0	30,0	21,5	29,0	20,0	128,5	85,67	bestanden	---
9375620	28,0	26,0	21,0	27,0	0,0	102,0	68,00	bestanden	---
9375709	16,0	30,0	26,5	28,0	23,5	124,0	82,67	bestanden	---
9375753	30,0	0,0	27,0	30,0	10,0	97,0	64,67	bestanden	---
9376137	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9376260	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9376653	28,0	30,0	27,0	30,0	26,0	141,0	94,00	bestanden	---

9376710	30,0	25,5	27,0	28,0	19,0	129,5	86,33	bestanden	---
9376798	30,0	30,0	27,0	29,0	20,0	136,0	90,67	bestanden	---
9376844	28,0	30,0	27,0	25,0	18,5	128,5	85,67	bestanden	---
9377160	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9377600	30,0	30,0	27,0	28,0	0,0	115,0	76,67	bestanden	---
9377812	28,0	30,0	27,0	30,0	18,5	133,5	89,00	bestanden	---
9377823	30,0	30,0	26,0	30,0	26,0	112,0	74,67	bestanden	---
9377856	30,0	30,0	26,0	28,0	0,0	114,0	76,00	bestanden	---
9377890	30,0	30,0	25,5	28,0	12,5	126,0	84,00	bestanden	---
9378295	23,0	25,0	30,0	26,0	24,0	128,0	85,33	bestanden	---
9378587	30,0	30,0	25,0	29,0	29,0	143,0	95,33	bestanden	---
9378802	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9379017	28,0	22,0	26,0	29,0	25,5	130,5	87,00	bestanden	---
9379195	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9379220	24,0	24,5	26,5	24,0	19,0	118,0	78,67	bestanden	---
9379342	30,0	30,0	0,0	0,0	0,0	60,0	40,00	nicht bestanden	---
9379599	29,0	30,0	27,0	28,0	20,0	134,0	89,33	bestanden	---
9379667	28,0	0,0	0,0	0,0	0,0	28,0	18,67	nicht bestanden	---
9379757	24,0	19,5	16,5	0,0	0,0	60,0	40,00	nicht bestanden	---
9379780	28,0	30,0	11,0	29,0	20,0	118,0	78,67	bestanden	---
9380570	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9380850	30,0	13,5	26,0	30,0	29,5	129,0	86,00	bestanden	---
9380861	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9381592	23,0	30,0	30,0	30,0	28,0	141,0	94,00	bestanden	---
9382369	8,0	0,0	0,0	0,0	0,0	8,0	5,33	nicht bestanden	---
9382380	22,0	29,0	0,0	0,0	0,0	51,0	34,00	nicht bestanden	---
9382391	28,0	30,0	27,0	29,0	25,0	139,0	92,67	bestanden	---
9382492	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9382729	26,0	30,0	29,0	28,0	19,0	132,0	88,00	bestanden	---
9383056	27,0	28,0	27,0	28,0	12,0	122,0	81,33	bestanden	---
9383684	29,0	28,0	27,0	26,0	12,5	122,5	81,67	bestanden	---
9383708	30,0	17,5	13,0	23,0	24,0	107,5	71,67	bestanden	---
9383853	0,0	0,0	0,0	0,0	0,0	0,0	0,00	nicht bestanden	---
9384417	0,0	25,5	25,0	23,0	20,0	93,5	62,33	bestanden	---
9384507	16,0	22,5	0,0	30,0	23,0	91,5	61,00	bestanden	---
9384742	28,0	24,5	27,0	28,0	25,0	132,5	88,33	bestanden	---
9385899	21,0	7,0	13,0	10,0	18,5	69,5	46,33	nicht bestanden	---
9386193	28,0	30,0	27,0	28,0	17,0	130,0	86,67	bestanden	---
9386845	30,0	30,0	29,0	30,0	19,0	138,0	92,00	bestanden	---
9386935	30,0	30,0	27,0	27,0	19,0	133,0	88,67	bestanden	---
9386979	0,0	19,5	0,0	0,0	24,5	44,0	29,33	nicht bestanden	---